(*l*) The bills for carting should be supported by the receipts. The carting for one full month should be claimed in a single bill to be presented in the next month and no part payment will be allowed in the middle of the month. No claim for cart-hire not claimed within three months from the date of its becoming due will be paid unless the delay in claiming is satisfactorily explained.

(*m*) The security furnished will be returned to the contractor three months after the expiry of the contract period, if the whole or any portion of it is not forfeited to Government for the violation of any of the terms of the contract, after satisfying that no poles are outstanding against the contractor.

SCHEDULE.

Locality	Jungle mileage	Road mileage	Total distance	Specifications
(1) Kusgal Coupes 8, 9 and 10 ..	3	13	16	1,000 poles.
(2) Do Coupe 1 ..	5	9	14	Jambe, Mathi, Hunnal: 26′ long, Top girth 14″—15″ girth at 5′ from bottom, 21″—23″.
(3) Megarmakki State Forest Jambe patches.	5	9	14	

H. S. RANGACHAR,
District Forest Officer.

SAGAR FOREST DIVISION.

Abstract Notification dated 29th June 1939.

The attention of the public is invited to the detailed notification, published on pages 1278-1279, Part VI of the *Mysore Gazette*, dated 6th July 1939, regarding felling, repairing and carting of timber.

The last date for the receipt of tenders is 16th August 1939.

N. VENKATARAMAIYA,
District Forest Officer.

KADUR FOREST DIVISION.

Abstract Notification dated 6th July 1939.

The attention of the public is invited to the detailed notification, calling for tenders up to 4 P.M. on Monday the 31st July 1939 for timber carting, felling and preparation of timber in the several Ranges of the Division during 1939-40, published on pages 1333-1334, Part VI of the *Mysore Gazette*, dated 13th July 1939.

B. T. THIMMARAYAPPA,
District Forest Officer.

ENGINEERING DEPARTMENT

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 3rd July 1939.

The attention of the public is invited to the detailed notification regarding the auction of sites in the compound of "Purna Prasad" near Race Course Road, Bangalore, published in page 1283, Part VI of the *Mysore Gazette*, dated 6th July 1939.

The date of auction is 3rd August 1939.

M. K. RAJAM IYENGAR,
Executive Engineer.

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification dated 5th July 1939.

The attention of the public is invited to the notification, calling for tenders for labour portion of the work for improving the distribution system of Hole-Narsipur Water Supply, published in pages 1336-1337, Part VI of *Mysore Gazette*, dated 13th July 1939.

The last date of receiving tenders is fixed on 24th July 1939.

Notification dated 5th July 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 28th July 1939, for Labour portion of the work for laying pipe lines for Improving Water Supply to Ghati Subramanyam, Dodballapur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of November 1939.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 390 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for Labour portion of the Work for Improving Water Supply to Ghati Subramanyam, Dodballapur Taluk," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Estimate of the approximate quantities for labour portion of the work of laying pipe lines for improving water supply to Ghati Subrahmanyam, Dodballapur Taluk.

Sl. No.	Item of work	Unit	Quantity
	LAYING A NEW RISING MAIN FROM BANDIHALLA TO BALANCING TANK.		
1	Making lead joints to 4" C.I. pipes including laying	No.	590
2	Earthwork excavation and refilling the pipe trench for laying C.I. pipes	C.yd.	1,867
3	Constructing sluice valve cisterns as per type design	No.	8
4	Removing the 3" C.I. pipes with lead joints and stacking in place	Cwt.	400
5	Earthwork excavating for removing C.I. pipes and refilling including consolidation	C.yd.	533
6	Removing and relaying 1½" G.I. pipes from filter along Ghati Road including earthwork excavation in all soils and refilling the same with consolidation	R.ft.	750
7	Earthwork excavation the pipe trench in all soils and refilling the same with consolidation for laying 3" C. I. pipes from Balancing Reservoir to temple	C.yd.	560
8	Making lead joints to 3" C.I. pipes by utilising the old lead available from removed joints of existing 3" C.I. pipes	No.	360
9	Laying and jointing G.I. pipes with cutting and threading including earthwork excavating the pipe trench and refilling the same with consolidation, etc., complete 1½" G.I. pipes	R.ft.	600
10	Do 2" do	,,	1,400
11	Do 1" do	,,	1,200
12	Do ¾" do	,,	2,000
	IMPROVEMENTS AT BANDIHALLA SIDE.		
13	Removing and relaying 1½" G.I. pipes including earthwork excavation in all soils and refilling the same with consolidation	,,	1,500

Notification dated 5th July 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 28th July 1939, for constructing a Masonry Reservoir of 20,000 gallons capacity at Ghati Subrahmanyam for improvement of Water Supply. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of September 1939.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 320 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for constructing a masonry Reservoir of 20,000 gallons capacity at Ghati Subramanyam, for improvement of Water Supply," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately, but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Sanitary Engineer, will be final and legally binding.

Estimate of the approximate quantities for the work of constructing a masonry reservoir of 20,000 gallons capacity at Ghati Subrahmanyam for improvement of water supply.

Item No.	Item of work	Unit	Quantity
1	Benching rock 6″ to 12″ deep	S.ft.	1,120
2	Filling the foundation with cement concrete of stone jelly in the proportion of 1 : 2½ : 5	C.ft.	1,120
3	Size stone in cement mortar for superstructure	,,	1,482
4	Burnt stone slabs 5″ to 6″ thick dressed and fixed with two lines dressing	S.ft.	22½
5	Providing and fixing 1′×1′ burnt stone bressummer including dressing and fixing	R.ft.	68
6	Roofing with burnt stone slabs of 6″ thick, two lines dressed with concrete at top with two courses of flat tiles, etc., complete	Sqr.	7·39
7	Cement plastering 1″ thick to stone walls in the proportion of 1 : 3	,,	5·72
8	Flooring with cement concrete 2″ thick and surface plastered over by ½″ thick cement plastering 1 : 3 (Concrete proportion 1 : 2½ : 5)	,,	6·40
9	Plain cornice 6″×6″ with burnt brick in chunam and cement plastering, etc., complete	R.ft.	118
10	Constructing parapet wall 9″×2′ as per design with burnt brick in chunam including chunam plastering and colour washing, etc., complete	,,	110
11	Providing manhole with C.I. frame and lid over the roof 2½′×2′	No.	1
12	Providing roof ventilators 4′×4′×3′ with 2′×1½′ teakwood frame with wire gauze shutters and roofing with T.W. joists, painting, etc., complete	No.	4
13	Providing iron ladder with 2″×½″ flat iron vertical and ¾″ diameter rods for horizontals 1½′ in length including fixing, etc., complete about 12 ft. high	No.	2
14	ement pointing to stone masonry in the proportion 1 : 3		7·08
15	Fixing 4″ inlet two of 4″ outlet, one of 4″ over-flow and one of 3″ scour all, *i.e.*, materials to be supplied departmentally		

Notification dated 7th July 1939

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 29th July 1939, for constructing drains in Saklespur town during 3rd August 1939. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1939.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 296 in cash (no cheques will be accepted) as earnest money, and be superscribed " Tender for constructing drains in Saklespur town during 3rd August 1939, in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Director of Public Health who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Estimate of the approximate quantities for constructing drains in Saklespur Town.

Sl. No.	Particulars	Unit	Quantity
1	Constructing silk pattern drains with 3″ to 4½″ thick burnt stone slabbed cheeks on 4½″ stone jelly concrete bed of combination mortar 1 : 6 proportion of one cement to 6 of surki mortar and forming V-shaped gutter for the central portion and surface plastered over with cement mortar of 1 : 2 and the joints of the slabs cement pointed including earthwork excavation, etc., complete as per design—		
	Design of 5″ (1) do do do ..	R.ft.	490
	Do 5″ (2) do do do ..	,,	245
	Do 11″ (1) do do do ..	,,	260
	Do 11″ (2) do do do ..	,,	430

Notification dated 8th July 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 29th July 1939, for constructing drains in Arsikere Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1939.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 485 in cash (no cheques will be accepted) as earnest money, and be superscribed " Tender for constructing drains in Arsikere Town, in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders. will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately, but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Public Health will be final and legally binding.

Estimate of the approximate quantities for the work of constructing drains in Arsikere Town.

Sl. No.	Items of work	Unit	Quantity
1	Constructing silk pattern drains with 3″ to 1½″ thick burnt stone slabbed cheeks on 3″ surki concrete and 1½″ cement concrete bed and cement concrete moulding for the sides of the central gutter portion and surface plastered over by ½″ thick cement plaster and cement pointing to joints of slabs including earthwork excavation, etc., complete as per design :— Design of 3″ section	R.ft.	4,445
2	Constructing 3″ semi peg top section cement concrete 1½″ cement concrete bed 1 : 2 : 4 and surface plastered over by ½″ thick cement mortar 1 : 2 including earthwork, etc., complete as per design	,,	2,550

N. KRISHNIENGAR,
Sanitary Engineer.

KOLAR DIVISION.

Tender Notification.

1. Sealed tenders will be received at the office of the Executive Engineer, Kolar Division, up to 2 P.M., on 14th August 1939, for constructing quarters for the Lady Medical Officer at Kolar attached to Sri Narasimharaja Hospital.

2. Tenders in the prescribed form obtainable from the office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for Lady Medical Officer's quarters." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by treasury chellan for earnest money of Rs. 320, paid to the treasury to the credit "of 17 (a) P. W. Deposits" against the account of the Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained as security for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 14th August 1939 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contract form, for the due fulfilment of the contract and for the execution of all items of work in accordance with the Bombay Specifications. A reserve of 5 per cent will be withheld in the work bills of the contractor and the same will be repayed after the due fulfilment of the contract.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Kolar, on all working days between 11 A.M. and 5 P.M.